

ArcWeb Services APIs 2.0 System Requirements

This PDF contains system requirements information, including hardware requirements, best performance configurations, and limitations, for ArcWeb Services APIs 2.0.

- Compaq/Digital Tru64 UNIX
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - HP HP-UX 11.0
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - IBM AIX 5.2.0.0
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - Linux-Intel RedHat Linux 7.1
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - Macintosh OS X
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - PC-Intel Windows 2000 Professional 2000
 - [.NET SDK 1.0](#)
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - PC-Intel Windows NT 4.0
 - [.NET SDK 1.0](#)
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - PC-Intel Windows XP Professional Edition
 - [.NET SDK 1.0](#)
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - SGI IRIX 6.5
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - Sun Solaris 8 (SPARC)
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
 - Sun Solaris 9 (SPARC)
 - [Axis 1.1](#)
 - [GLUE 4.1](#)
-

ArcWeb Services APIs 2.0 with Compaq/Digital Tru64 UNIX on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Compaq/Digital
<i>Operating System:</i>	Tru64 UNIX
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Compaq/Digital Tru64 UNIX on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Compaq/Digital
<i>Operating System:</i>	Tru64 UNIX
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with HP HP-UX 11.0 on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	HP
<i>Operating System:</i>	HP-UX 11.0
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with HP HP-UX 11.0 on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	HP
<i>Operating System:</i>	HP-UX 11.0
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with IBM AIX 5.2.0.0 on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 5.2.0.0
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with IBM AIX 5.2.0.0 on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 5.2.0.0
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Linux-Intel RedHat Linux 7.1 on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Linux-Intel
<i>Operating System:</i>	RedHat Linux 7.1
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Linux-Intel RedHat Linux 7.1 on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Linux-Intel
<i>Operating System:</i>	RedHat Linux 7.1
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Macintosh OS X on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Macintosh
<i>Operating System:</i>	OS X
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Macintosh OS X on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Macintosh
<i>Operating System:</i>	OS X
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows 2000 Professional on .NET SDK 1.0

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Professional
<i>Service Packs/Patches:</i>	SP3
<i>Toolkit:</i>	.NET SDK
<i>Toolkit Version:</i>	1.0
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows 2000 Professional on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Professional
<i>Service Packs/Patches:</i>	SP3
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows 2000 Professional on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Professional
<i>Service Packs/Patches:</i>	SP3
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows NT 4.0 on .NET SDK 1.0

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows NT 4.0
<i>Service Packs/Patches:</i>	SP 6a
<i>Toolkit:</i>	.NET SDK
<i>Toolkit Version:</i>	1.0
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows NT 4.0 on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows NT 4.0
<i>Service Packs/Patches:</i>	SP 6a
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows NT 4.0 on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows NT 4.0
<i>Service Packs/Patches:</i>	SP 6a
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows XP Professional Edition on .NET SDK 1.0

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows XP Professional Edition
<i>Toolkit:</i>	.NET SDK
<i>Toolkit Version:</i>	1.0
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows XP Professional Edition on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows XP Professional Edition
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with PC-Intel Windows XP Professional Edition on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows XP Professional Edition
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with SGI IRIX 6.5 on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	SGI
<i>Operating System:</i>	IRIX 6.5
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with SGI IRIX 6.5 on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	SGI
<i>Operating System:</i>	IRIX 6.5
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Sun Solaris 8 (SPARC) on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 8 (SPARC)
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Sun Solaris 8 (SPARC) on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 8 (SPARC)
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Sun Solaris 9 (SPARC) on Axis 1.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 9 (SPARC)
<i>Toolkit:</i>	Axis
<i>Toolkit Version:</i>	1.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.

ArcWeb Services APIs 2.0 with Sun Solaris 9 (SPARC) on GLUE 4.1

<i>Product:</i>	ArcWeb Services APIs 2.0
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 9 (SPARC)
<i>Toolkit:</i>	GLUE
<i>Toolkit Version:</i>	4.1
<i>Shipping/Release Date:</i>	April 11, 2003

Best Performance Configuration

An Internet connection. Deployment computer must have an Internet connection with the ability to send requests using SOAP 1.1 and HTTP 1.1 protocols, and parse XML.

A web browser. The help files for ArcWeb Services are provided in HTML format. In order to use the help, you must have a web browser.