

MapObjects LT 2.0 System Requirements

This PDF contains system requirements information, including hardware requirements, best performance configurations, and limitations, for MapObjects LT 2.0.

- [PC-Intel Windows 2000 Professional](#)
- [PC-Intel Windows NT 4.0 Workstation](#)

MapObjects LT 2.0 on PC-Intel Windows 2000 Professional

<i>Product:</i>	MapObjects LT 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Professional
<i>Shipping/Release Date:</i>	April 6, 2000

Hardware Requirements

CPU Speed:

90 MHz*

*Minimum requirement.

Processor:

Pentium Class Processor

Memory/RAM:

64 MB*

*Minimum requirements. Depending on development and deployment purposes, RAM should be much higher.

Disk Space:

43.8 MB

Disk Space Requirements:

35Mb in selected install directory (e.g. C:\Program files\ESRI\MapObjects2)

5.4Mb in ESRI Shared files directory (e.g. C:\Program files\Common files\ESRI)

3.4 Mb in Windows directories

Notes:

VGA or higher resolution monitor (Graphics card required)

Compatibility Notes

MapObjects LT can be consumed by any 32-bit Visual Development Environment that fully supports ActiveX.

It is not guaranteed MapObjects LT will work perfectly in any development environment, but it has been tested and is known to work well in the following environments:

Visual Basic 6

Delphi 5

Visual C++

MS Access 2000 and 2003

Limitations

Product: At the time of release, MapObjects LT was supported on Windows 95, 98, 2000 and NT 4.0. However, due to the Microsoft support cycle, Windows 95 and 98 is no longer supported.

Refer to Microsoft support pages for OS lifecycle support status:

[http://support.microsoft.com/default.aspx?scid=fh;\[ln\];LifeWin](http://support.microsoft.com/default.aspx?scid=fh;[ln];LifeWin)

MapObjects LT 2.0 on PC-Intel Windows NT 4.0 Workstation Professional

<i>Product:</i>	MapObjects LT 2.0
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows NT 4.0 Workstation
<i>Shipping/Release Date:</i>	April 6, 2000

Hardware Requirements

CPU Speed:

90 MHz*

*Minimum requirement.

Processor:

Pentium Class Processor

Memory/RAM:

64 MB*

*Minimum requirements. Depending on development and deployment purposes, RAM should be much higher.

Disk Space:

43.8 MB

Disk Space Requirements:

35Mb in selected install directory (e.g. C:\Program files\ESRI\MapObjects2)

5.4Mb in ESRI Shared files directory (e.g. C:\Program files\Common files\ESRI)

3.4 Mb in Windows directories

Notes:

VGA or higher resolution monitor (Graphics card required)

Compatibility Notes

MapObjects LT can be consumed by any 32-bit Visual Development Environment that fully supports ActiveX.

It is not guaranteed MapObjects LT will work perfectly in any development environment, but it has been tested and is known to work well in the following environments:

Visual Basic 6

Delphi 5

Visual C++

MS Access 2000 and 2003

Limitations

Product: At the time of release, MapObjects LT was supported on Windows 95, 98, 2000 and NT 4.0. However, due to the Microsoft support cycle, Windows 95 and 98 is no longer supported.

Refer to Microsoft support pages for OS lifecycle support status:

[http://support.microsoft.com/default.aspx?scid=fh;\[In\];LifeWin](http://support.microsoft.com/default.aspx?scid=fh;[In];LifeWin)
