

MapObjects--Java Edition 2.1 System Requirements

This PDF contains system requirements information, including hardware requirements, best performance configurations, and limitations, for MapObjects- -Java Edition 2.1.

- HP HP-UX 11.i
- IBM AIX 5.2
- Linux-Intel Red Hat 8.0
- Linux-Intel Red Hat 9.0
- Linux-Intel Red Hat Enterprise Linux AS/ES 4.0
- Macintosh OS 10.2
- Macintosh OS 10.3
- PC-Intel Windows 2000 Professional
- PC-Intel Windows XP
- Sun Solaris 7 (SPARC)
- Sun Solaris 8 (SPARC)
- Sun Solaris 9 (SPARC)

MapObjects -- Java Edition 2.1 on HP HP-UX 11.i

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: HP

Operating System: HP-UX 11.i

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 16 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on IBM AIX 5.1

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: IBM

Operating System: AIX 5.1

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on IBM AIX 5.2

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: IBM

Operating System: AIX 5.2

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Linux-Intel Red Hat 8.0

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Linux-Intel

Operating System: Red Hat 8.0

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 Mhz

Processor:

Pentium III or higher

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:**Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users**

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even

though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Linux-Intel Red Hat 9.0

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Linux-Intel

Operating System: Red Hat 9.0

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 Mhz

Processor:

Pentium III or higher

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:**Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users**

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even

though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Linux-Intel Red Hat Enterprise Linux AS/ES 3.0

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Linux-Intel

Operating System: Red Hat Enterprise Linux AS/ES 3.0

Service Packs/Patches: Update 2 or higher

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 Mhz

Processor:

Pentium III or higher

Memory/RAM:

256 MB or more recommended

Display Properties:

24 bit color depth

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and

compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Macintosh OS 10.2

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Macintosh

Operating System: OS 10.2

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 MHz

Processor:

PowerPC G4

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Installer - 57 MB

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Macintosh OS 10.3

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Macintosh

Operating System: OS 10.3

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 MHz

Processor:

PowerPC G4

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Installer - 57 MB

Core Libraries - 17 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on PC-Intel Windows 2000 Professional

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: PC-Intel

Operating System: Windows 2000 Professional

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 MHz

Processor:

Intel Pentium III or higher

Memory/RAM:

256 MB or more recommended

Disk Space:

186 MB

Disk Space Requirements:

Core Libraries - 16 MB

JRE - 36 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

VGA or higher resolution monitor (Graphics card required for client applications)

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:**Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users**

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially

be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on PC-Intel Windows XP

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: PC-Intel

Operating System: Windows XP

Shipping/Release Date: March 3, 2005

Hardware Requirements

CPU Speed:

700 MHz

Processor:

Pentium III or higher

Memory/RAM:

256 MB or more recommended

Disk Space:

186 MB

Disk Space Requirements:

Core Libraries - 16 MB

JRE - 36 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

VGA or higher resolution monitor (Graphics card required for client applications)

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:**Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users**

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even

though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Sun Solaris 7 (SPARC)

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Sun

Operating System: Solaris 7 (SPARC)

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 16 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Sun Solaris 8 (SPARC)

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Sun

Operating System: Solaris 8 (SPARC)

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 16 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.

MapObjects -- Java Edition 2.1 on Sun Solaris 9 (SPARC)

Quick Links

[Hardware Requirements](#)

[Compatibility Notes](#)

[Best Configuration](#)

[Limitations](#)

Product: MapObjects -- Java Edition 2.1

Platform: Sun

Operating System: Solaris 9 (SPARC)

Shipping/Release Date: March 3, 2005

Hardware Requirements

Memory/RAM:

256 MB or more recommended

Disk Space:

200 MB

Disk Space Requirements:

Core Libraries - 16 MB

Samples - 62 MB

Misc - 7 MB

Documentation - 65 MB

Notes:

A full graphics system, such as X-11 is required for MapObjects-Java clients.

Compatibility Notes

Client-side components:

JRE/J2SDK 1.4.0, 1.4.1, 1.4.2

Server-side components:

J2EE 1.3.1, 1.4 - Note J2EE 1.3.1 works with J2SE 1.3.1_02 or 1.4

Best Performance Configuration

Recommended J2EE Servers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

Recommended Databases:

MySQL 3.x

Microsoft SQL Server 2000

Oracle 9i

Recommended Web or EJB containers:

JBoss with Tomcat 3.x

BEA WebLogic 7.x

SunONE Application Server 7.x

IBM WebSphere 5

New Atlanta ServletExec 4.2

Limitations

Product: Installation Note:

Java Virtual Machine conflict for ArcExplorer—Java, ArcIMS users

The sample applications that are included with MapObjects require a Java Virtual Machine (VM). The sample applications are included as part of the Typical MapObjects installation and are also available as an option during a Custom MapObjects installation. During both of these installation scenarios, you will be asked to install a Java VM specifically for use with these sample applications or to navigate to one already available on your system. If you are installing on a system that also runs ArcIMS and/or ArcExplorer—Java Edition, it is recommended that you choose to install the Java VM specifically for use with the MapObjects sample applications and compile script. If you navigate to and use the same Java VM used by ArcIMS and/or ArcExplorer, all three environments may destabilize, causing unexpected runtime results. This is because the ArcSDE JARs, JAI JARs and native files, JSSE JARs, and possibly other JAR files could potentially be mixed into the same JRE extension location as older versions of the same products. Even though the JAR file names may be different, the VM could possibly encounter the same package names within these JAR files.