

ArcExplorer -- Java Edition 9.2 System Requirements

This PDF contains system requirements information, including hardware requirements, best performance configurations, and limitations, for ArcExplorer -- Java Edition 9.2.

- [IBM AIX 5.2.0.0](#)
- [IBM AIX 5.3.0.0](#)
- [Linux-Intel Red Hat Enterprise Linux AS/ES 4.0](#)
- [Linux-Intel SUSE Linux Enterprise Server 9](#)

ArcExplorer -- Java Edition 9.2 on IBM AIX 5.2.0.0

<i>Product:</i>	ArcExplorer -- Java Edition 9.2
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 5.2.0.0
<i>Shipping/Release Date:</i>	July 5, 2007

Hardware Requirements

Memory/RAM:

128 MB of RAM recommended

Display Properties:

24 bit color depth

Disk Space:

21 MB

Notes:

J2SE JRE REQUIREMENTS:

- JRE version 5.0 is supported.
- Other JRE versions are unknown to work at this time.

ADDITIONAL NOTES:

- X11.fnt.ucs.ttf file set is required.

ArcExplorer -- Java Edition 9.2 on IBM AIX 5.3.0.0

<i>Product:</i>	ArcExplorer -- Java Edition 9.2
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 5.3.0.0
<i>Shipping/Release Date:</i>	July 5, 2007

Hardware Requirements

Memory/RAM:

128 MB of RAM recommended

Display Properties:

24 bit color depth

Disk Space:

21 MB

Notes:

J2SE JRE REQUIREMENTS:

- JRE version 5.0 is supported.
- Other JRE versions are unknown to work at this time.

ADDITIONAL NOTES:

- X11.fnt.ucs.ttf file set is required.

ArcExplorer -- Java Edition 9.2 on Linux-Intel Red Hat Enterprise Linux AS/ES 4.0

<i>Product:</i>	ArcExplorer -- Java Edition 9.2
<i>Platform:</i>	Linux-Intel
<i>Operating System:</i>	Red Hat Enterprise Linux AS/ES 4.0
<i>Service Packs/Patches:</i>	Update 2 or higher
<i>Shipping/Release Date:</i>	July 5, 2007

Hardware Requirements

Memory/RAM:

128 MB of RAM recommended

Display Properties:

24 bit color depth

Disk Space:

24 MB

Notes:

OPERATING SYSTEM REQUIREMENTS

ArcExplorer-Java is only supported on Linux x86, on CPUs that adhere to the x86 architecture (32-bit), with supported Linux releases.

It is a requirement that the OS (binary) has not been modified. ESRI does not provide any support if products are installed on Developer's Release of an Operating System.

The linux patches from RHEL AS/ES will be supported as long as the patches are supported and originate from Red Hat without any modification to the latest kernel/glibc version.

J2SE JRE REQUIREMENTS:

- JRE version 5.0 Update 6 is supported.

Video Drivers:

- Mesa is the supported video driver.

- 24-bit color depth enabled

- Using hardware based graphics accelerators can improve dynamic 2D and 3D rendering performance, however all video cards may not work.

- If using hardware accelerators for ArcGIS Globecontrol and ArcReader 3D, make sure your graphics card is compliant with at minimum OpenGL 1.3, and be sure to use the latest available driver.

ArcExplorer -- Java Edition 9.2 on Linux-Intel SUSE Linux Enterprise Server 9

<i>Product:</i>	ArcExplorer -- Java Edition 9.2
<i>Platform:</i>	Linux-Intel
<i>Operating System:</i>	SUSE Linux Enterprise Server 9
<i>Shipping/Release Date:</i>	July 5, 2007

Hardware Requirements

Memory/RAM:

128 MB of RAM recommended

Display Properties:

24 bit color depth

Disk Space:

24 MB

Architecture:

x86 architecture (32-bit)

Notes:

OPERATING SYSTEM REQUIREMENTS:

- ArcExplorer is only supported on Linux x86, on CPUs that adhere to the x86 architecture (32-bit), with supported Linux releases.
- It is a requirement that the OS (binary) has not been modified. ESRI does not provide any support if products are installed on Developer's Release of an Operating System.
- The linux patches for SUSE Linux Enterprise Server 9 will be supported as long as the patches are supported and originate from SUSE Linux without any modification to the latest kernel/glibc version.

J2SE JRE REQUIREMENTS:

- JRE version 5.0 Update 6 is supported.